



## User Manual for the jailbreak tool upgrader.

First of all , we need to download "jailbreak\_tool\_upgrader.rar" from [www.flashcard.es](http://www.flashcard.es). And unpack the file in a new folder. There is only two files for this software after open the .rar file .It's small capacity , 220KB in total. Double click on the Amaze file to enter the software updater.



After run amaze.exe , you will see the window for this software. It's simply to see.


Load —This button is that known as “Open” .Click it , can choose upgrade firmware.

Upgrade —Of course ,it's button for upgrade .


Exit —Exit button.If you want to exit the software ,click it .




Next , connect the Jailbreak tool to the PC USB. When the Jailbreak tool is connected to pc successfully , the system will show that find new device, than load driver. After the driver loading, we can see red light from Jailbreak tool. It means the Jailbreak tool is ready to use.



Back to the window for the software, click “Load” to choose firmware needed upgrading, then click “Open” .



After the firware be chosed successfully , there is code hexadecimal system codes of the firware.Now we can use some long and thin things to press the upgrade button on the Amazebreak dongle , such as pencil or toothpick and so on. After the button pressed ,the red light lighting will be off,then the systems will show find new device.



After loading successfully of the new device , we can click the "Upgrade" button on the software window .The software will ask user sure to upgrade or not , click " yes " is ok .

```
0090 9F 0F FD 99 07 4C D6 56 58 D7 0B 02 09 D8 40  
00A0 B8 21 53 E4 8E AC DC C2 25 FF 33 BC 59 9D AA  
00B0 71 CB BE 53 F6 76 57 FE 1D 64 94 74 D5 D4 46  
00C0 6F 0E 58 63 53 1D A5 E1 4D 40 39 8B E5 37 77  
00D0 3D A7 CA 6F C7 CD 18 07 71 23 E8 87 E5 2E 37  
00E0 24 72 7C 1B 21 8C B4 78 2F 5F 55 C4 27 02 88
```

Searching device...

Upgrading process, the software will search device first , so now the down left of the window will show “Searching device” .

When the software successfully searched the device , it will upgrade the firmware itself. Rate of progress will show at down left of the window . After upgrading finish , software will tell up “Upgrade successfully ”. Until now , all steps finished , you can connect the Jailbreak stick to the PS3 system.